

# REQUEST FOR QUOTATIONS (RFQ) FOR PROCUREMENT OF GOODS AND SERVICES.

## **DESCRIPTION OF WORK**

PROCUREMENT OF A SERVICE PROVIDER FOR BUILDING A BOUNDARY WALL AT KANYAMAZANE SMALL INDUSTRIAL PARK [2GB GRADING ON CIDB]

#### **QUOTATION DETAILS**

QUOTATION NUMBER: RFQ -00443/25/26

**ISSUE DATE: 31 OCTOBER 2025** 

CLOSING Date: 14 /11 / 2025

Time: 12:00

Compulsory Briefing session:	Yes	No	X	
If Yes, Date and time of compulso session:	ry briefing			
Date: Tim	e: 10:00 am			
DETAILS	OF RESPONDENT			
Name of bidder:		 		

## **REQUEST FOR QUOTATIONS (RFQ)**

#### 1. GENERAL CONDITIONS OF THE RFQ:

- 1.1. The 80/20 evaluation criteria for requirements with a Rand value of up to R50 000 000 (all applicable taxes included) will be used for this bid.
- 1.2. The value of this bid is estimated not exceed R1 000 000.00 (all applicable taxes included).
- 1.3. Fully comply with the scope of work / service or (Attached Scope of work / service)
- 1.4. Quotations must be valid for a period of 30 days
- 1.5. The Bidder's quotation to bear correct contact details and address
- 1.6. Fully completed Standard Bidding Documents (SBD4 and SBD 6.1)
- 1.7. The bidder must be registered on the Central Supplier Database (CSD)

This bid will **NOT** be evaluated on functionality

#### 2. SCOPE OF WORK / SERVICE OR ITEMS

Scope of work
PROCUREMENT OF A SERVICE PROVIDER FOR BUILDING A BOUNDARY WALL AT KANYAMAZANE SMALL INDUSTRIAL PARK (see attached scope)
P B

INITIA	LS A	ND:	SUI	RN	AME:
--------	------	-----	-----	----	------

#### SIGNATURE:

Submissions and enquiries can be directed to <a href="mailto:scm@mega.gov.za">scm@mega.gov.za</a>

#### **BIDDER'S DISCLOSURE**

#### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### 2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

  YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

Full Na	ame	Identity Number	Name of State institution
2.2			dder, have a relationship uring institution? YES/NO
	man any person mis is		2g
2.2.1	If so, furnish particula	ars:	
2.3	members / partners or	r any person having a terest in any other relat	rustees / shareholders / controlling interest in the ted enterprise whether or YES/NO
	_		
2.3.1	If so, furnish particular		

#### 3 DECLARATION

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

1, 2 and 3 ABOVE IS CORRE	ECT.
I ACCEPT THAT THE STA	ATE MAY REJECT THE BID OR ACT
AGAINST ME IN TERMS	OF PARAGRAPH 6 OF PFMA SCM
INSTRUCTION 03 OF 2021/2	22 ON PREVENTING AND COMBATING
ABUSE IN THE SUPPLY CH	IAIN MANAGEMENT SYSTEM SHOULD
THIS DECLARATION PROV	E TO BE FALSE.
Signature	Date
Position	Name of bidder

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

#### 1.2 To be completed by the organ of state

- a) The applicable preference point system for this tender is the 80/20 preference point system.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
  - (a) Price; and
  - (b) Specific Goals.

#### 1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	
Enterprise owned by Black people	4
Enterprise owned by Women	4
Enterprise owned by Youth	4
Enterprise owned by Disabled	4
Enterprise owned by SMME's-QSE and EME	4
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

#### 2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

#### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

#### 3.1. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or  $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

# 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

#### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + rac{Pt-P\,max}{P\,max}
ight)$$
 or  $Ps = 90\left(1 + rac{Pt-P\,max}{P\,max}
ight)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprise owned by Black people	N/A	4	N/A	
Enterprise owned by Women	N/A	4	N/A	
Enterprise owned by Youth	N/A	4	N/A	
Enterprise owned by Disabled	N/A	4	N/A	
Enterprise owned by SMME's-QSE and EME	N/A	4	N/A	

#### **DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3.	Name of company/firm
4.4.	Company registration number:
4.5.	TYPE OF COMPANY/ FIRM
	<ul> <li>□ Partnership/Joint Venture / Consortium</li> <li>□ One-person business/sole propriety</li> <li>□ Close corporation</li> <li>□ Public Company</li> <li>□ Personal Liability Company</li> <li>□ (Pty) Limited</li> <li>□ Non-Profit Company</li> <li>□ State Owned Company</li> <li>[TICK APPLICABLE BOX]</li> </ul>

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
  - i) The information furnished is true and correct;
  - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
  - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
  - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
    - (a) disqualify the person from the tendering process;
    - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
    - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
    - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
    - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	

d	DESCRIPTION	UNIT	QUANTITY RATE	AMOUNT
1		H1	0	
	SECTION NO. 1			
	BILL NO 1	H1	0	
I	PRELIMINARIES	H1	0	
I	BUILDING AGREEMENT AND PRELIMINARIES	H2	0	
ı	The JBCC Series 2000 Principal Building Agreement (July 2007 edition 5:0, reprint 1) prepared by the Joint Building Contracts Committee shall be the applicable building agreement, amended as hereinafter described		0	
ı	The JBCC Principal Building Agreement Contract Data EC and the JBCC Principal Building Agreement Contract Data CE form an integral part of this agreement		0	
l	The ASAQS Preliminaries (November 2007 edition) published by the Association of South African Quantity Surveyors for use with the said JBCC Principal Building Agreement shall be deemed to be incorporated in these bills of quantities		o	
	Contractors are referred to the abovementloned documents for the intent and meaning of each clause thereof		o	
	These clauses are hereinafter referred to by clause number and heading only. Where standard clauses or alternatives are not entirely applicable to this agreement such modifications, corrections or supplements as will apply are given under each relevant clause heading and such modifications, corrections or supplements shall take precedence notwithstanding anything contrary contained in the abovementioned documents		0	
ŀ	Where any item is not relevant to this specific agreement such item is marked N/A (signifying "not applicable")		0	
I	PREAMBLES FOR TRADES	H2	0	
ŀ	The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained		o	
ŀ	Supplementary preambles are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles shall take precedence over the provisions of the sald Model Preambles		0	
L	The contractor's prices for all items throughout these bills of quantities must take account of and include for all of the obligations, requirements and specifications given in the said Model Preambles and in any supplementary preambles		o	
l	PRICING OF PRELIMINARIES	H2	o	
	Should the contractor select Option A in terms of subclause 3.2.1 in the Contract Data - Contractor to Employer (CE) for the purpose of adjustment of these preliminaries, the amount entered into the amount column in these preliminaries is to be divided into one or more of the three categories provided namely Fixed (F), Value Related (V) and Time Related (T)		D	
ı	SECTION A: PRINCIPAL BUILDING AGREEMENT	H2	o	
l		нз	0	
l		na	"	
	Clause 1.0 - Definitions and interpretation. The measuring system used for the preparation of the bills of quantities is the Standard System of Measuring Building Work (sixth edition, revised 1999) published by the Association of South African Quantity Surveyors [1.1] F:			
1	Τ:	Item	1	
ŀ	Objective and preparation (A2 - A14)	нз		
1	Clause 2.0 - Offer acceptance and performance obligations F:	Item		
	Clause 3.0 - Documents Refer to Annexure A for a list of the contract drawings Provision is made in the summary page of these bills of quantities for the noclusion of Value Added Tax (VAT) [3.5] The principal agent shall decide which nortion of the priced document may be used as a specification of materials and			
ŀ	goods or methods, if any [3.9] F:	Item		

1	Clause 4.0 - Design responsibility F:V:V:	1	1	
4	F	Item		
5	Clause 5.0 - Employer's agents F:V'V'	Item		
6	Clause 6.0 - Contractor's site representative F:	Item		
	Clause 7.0 - Compliance with laws and regulations. Without limiting the generality of the provisions of clause 7.0, the contractor's attention is drawn to the provisions of the Construction Regulations, 2003 issued in terms of the Occupational Health and Safety Act, 1993. It is specifically stated that the employer shall prepare a documented health and safety specification for the works and that the employer shall ensure that the contractor has made provision for the cost of health and safety measures during the execution of the works. The contractor shall price opposite this item for compliance with the act and the regulations and the reasonable provisions of the aforementioned health and safety specification [7:1] F:			
7	T:	Item	The state of the s	
8	Clause 8.0 - Works risk F:V:V	item		
	Clause 9.0 - Indemnities F:V:V	Item		
	Clause 10.0 - General insurances F:V:V.	Item		
11	Clause 11.0 - Special insurances F:V:V:V	Item		
	Clause 12.0 - Effecting insurances F:V:V:	Item		
	Clause 13.0 - Assignment F:V:V:	Item		
	Clause 14.0 - Security F: V: V:	ltem		
	Execution (A15 - A23)	нз		
15	Clause 15.0 - Preparation for and execution of the works F:	Item		
	Clause 16.0 - Site and access Certain areas will be occupied during the construction period and the contractor must execute the works with as little noise and disturbance as possible to the occupants. [16.6] F:	1 1		
16	V: T:	Item		
17	Clause 17.0 - Contract instructions F:V:V:V	Item		
	Clause 18.0 -Setting out of the works The contractor shall notify the principal agent if any encroachment of adjoining foundations, buildings, structures, pavements, boundaries, etc. exist in order that the necessary arrangements may be made for the rectification of any such encroachments [18.1]			
18	FT:	item		
19	Clause 19.0 - Temporary works and plant Clause 19.1.1 - Enclosure of the works F:	item		
20	Clause 19.1.2 - Office accommodation - provide suitable office accomodation for site meetings with tables and chairs for ten people F:	Item		
21	Clause 20.0 - Nominated subcontractors Refer to the provisions on general attendance hereinafter F:	Item		
	Clause 21.0 - Selected subcontractors General attendance of r/s subcontractors for pricing by the contractor shall be in accordance with the r/s agreement. Notwithstanding this provision, general attendance shall be deemed to include for the contractor to provide free of charge to any r/s subcontractor such scaffolding as may reasonably be required by such r/s subcontractor for the execution of the relevant subcontract work.			
22	V:  Clause 22.0 - Employer's direct contractors F:	Item		
23	V:	Item		**
	V· T:T:	Item		1

٠,

١,

нз Completion (A24 - A30) ltem Clause 25.0 - Works completion F:......V:...... Item Clause 26.0 - Final completion F:......V:......V:....... Clause 27.0 - Latent defects liability period F:..... 28 V:..... Ti.... item Clause 29.0 - Revision of date for practical completion. The removal and replacement of materials and/or workmanship which do not conform to the specification or the contract drawings shall not constitute grounds for the Item 30 (Clause 29.3) F:.... Clause 30.0 - Penalty for late or non-completion: 0.05% of the Contract Amount Inclusive of Value Added Tax per Calendar day F:..... Item 31 V:..... Ti...... Ti..... нз Payment (A31 - A35) Clause 31.0 - Interim payment Materials and goods stored off site shall not be included in the amount authorised for payment [31.6.5] F:..... Item .....T:...... Clause 32.0 - Adjustment to the contract value - NOT APPLICABLEAU fluctuations in costs, with the exception of fluctuations in the rate of Value Added Tax, shall be for the account of the contractor [32.13]Where prices are submitted by the contractor or n/s subcontractor during the progress of the works in respect of contract instructions or in regard to a claim under the terms of the agreement and notwithstanding the fact that such prices may be used in an interim payment certificate there is to be no presumption of acceptance. Should the principal agent wish to accept any such prices prior to the issue of the certificate of final completion, it shall be in writingThe contractor shall not receive any mark-up for overheads and profit on any omission of tenant installation work or tenant installation work by others. Claims for loss of profit shall not be entertained [32.2] .....T:..... ...V:.... Clause 33.0 - Recovery of expense and loss F:..... Item Clause 34.0 - Final account and final payment F:..... Item 35 V:. ....T:.... 36 нз Termination (A36 - A39) Clause 36.0 - Termination by employer - contractor's default Item 37 F:..... V:...... T:..... Clause 37.0 - Termination by employer - loss and damage F:..... Item 38 V:..... T:..... Clause 38.0 - Termination by contractor - employer's default Item Clause 39.0 - Termination - cessation of the works F:..... Item 40 V:..... T:..... T:.... нз Dispute (A40) Clause 40.0 - Settlement of disputes F:......V:... Item нз Contract variables (A41 - A42) Clause 41.0 - Post tender provisions The contractor is to complete and submit with his tender the JBCC Principal Building Agreement Contract Data CE 42 F:..... V:...... T:.... Item

н	and the amount of the contract sum shall be inserted in the agreement for signature of the agreement by the parties F:	
3	VTi	Item
	SECTION B: PRELIMINARIES	H2
	Definitions and interpretation (B1)	НЗ
	Clause 1.0 - Definitions and interpretation F: V:	Item
1	Documents (B2)	нз
ı	Clause 2.1 - Checking of documents F:	
	Т:	Item
В	Clause 2.2 - Provisional bills of quantities F: V:	Item
	Clause 2.3 - Availability of construction documentation. The budgetary allowances and selected subcontract amounts allocated for subsequent trades included in this agreement will be separately procured, based on multiple procurement of selected subcontractors during the construction period F	Item
	Previous work and adjoining properties (B3)	нз
	Clause 3.1 - Previous work - dimensional accuracy F:	
В	V: T: T	Iten
9	Clause 3.2 - Previous work - defects F:V:V:V:	lten
0	Clause 3.3 - Inspection of adjoining properties F: V:	Iten
	Samples, shop drawings and manufacturer's instructions (B4)	нз
1	Clause 4.1 - Samples of materials F:V:V.	Iten
2	Clause 4.2 - Workmanship samples F:V:V:	Iten
3	Clause 4.3 - Shop drawings F:V:V	Iten
4	Clause 4.4 - Compliance with manufacturer's instructions F:	Iter
**	Deposits and fees (B5)	НЗ
	Clause 5.1 - Deposits and fees FVV	
5	T:	Iter
	Temporary services (B6)	НЗ
6	Clause 6.1 - Water F: V: V:	iter
7	Clause 6.2 - Electricity F:V:V:	Iter
8	Clause 6.3 - Telecommunication facilities F:	lter
9	Clause 6.4 - Ablution facilities F:	Ite
	Prime cost amounts (B7)	нз
30	Clause 7.1 - Responsibility for prime cost amounts F:	Ite
	Special attendance on n/s subcontractors (B8)	нз
31	Clause 8.1 - Special attendance F:V:	Ite
, ,	General (B9)	нз
	Clause 9.1 - Protection of the works F:V:	

.

ŧ		
1	Clause 9.2 - Protection/isolation of existing/ occupied works Certain areas of the itemit be occupied during the construction period (see item 4 page 14)	
3	::V:	ltem
	Clause 9.3 - Security of the works F:V:V:	Item
1	in	inem
	Clause 9.4 - Notice before covering work F:	Item
	Zause 9.5 - Disturbance F:	ltern
,	Clause 9.6 - Environmental disturbance F:	ltem
,	Clause 9.7 - Works cleaning and clearing F:	ltem .
	Clause 9.8 - Vermin F:V:V:	Item
	Caluse 9.9 - Overhand work F:V:	item
ı	Schedule of variables (B10)	нз
1	information necessary for elections and completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder.  Where no information is given it shall mean that no specific requirements are expected or that the clause is not relevant to this specific contract	
-	10.1 - Provisional bills of quantitles [2.2] The quantities are provisional No	
	10.2 - Availability of construction documentation [2.3] Construction documentation is complete Yes	
	10.3 - Previous work - dimensional accuracy [3.1]	
	10.4 - Previous work - defects [3.2]	
	10.5 - Inspection of adjoining properties [3.3]	
	10.6 - Water [7.2] Option A (by contractor) Yes Option B (by employer - free of charge) No Option C (by employer - metered)	
	10.7 - Electricity [7.3] Option A (by contractor)  Yes Option B (by employer-free of charge)	
	10.8 - Telecommunications [7.4] Telephone Yes	
	10.9 - Ablution facilities [7.5] Option A (by contractor) Yes Option B (by employer)	
	10.10 - Protection of the works [9.1]	
	10.11 - Protection/isolation of existing/sectionally occupied works [9.2] Protection/isolation is required No	
	10.12 - Disturbance [9.5]	
	10.13 - Environmental disturbance [9.6]	
	SECTION C: SPECIFIC PRELIMINARIES	H2
	Any special items to meet the particular circumstances of a specific project are embodied in this section. Where required for an aspect of the works to be executed according to a design by a consulting engineer, a recital of the headings to the individual clauses of the JBCC Engineering General Conditions are included	
1	Black economic empowerment and training F:	Item
	Proprietary branded products F:V:V	
	T	ltem
	The contractor shall take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturers' instructions after consultation with the manufacturer's authorised representative	<b>(</b> €)

		ï	Ť.	7
	Contract instructions F:V:V	tem		
	Contract Instructions issued on site are to be recorded in triplicate in a contract instruction book which is to be supplied and maintained on site by the contractor			
ı	_abour record F:T:T:	item		
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number and descriptions of radesmen and labourers employed by him and all subcontractors on the works each day of that week			
5	Plant record F:V:	Item		
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools used on the works each day of that week			
ا	Guarantees F:	Item		
	Where guarantees are called for, the contractor shall obtain a written guarantee, addressed to the employer, from the firm supplying the materials and/or doing the work and shall deliver same to the principal agent on the certified completion of the contract. The guarantee shall state that workmanship, materials and completion of the contract, and that any defects that may arise during the specified period shall be made good at the expense of the firm supplying the materials and/or doing the work, upon written notice from the principal agent to do so. This guarantee will not be enforced if the work is damaged by defects in the construction of the building in which case the responsibility for replacement shall rest entirely with the contractor. The principal agent shall be the sole judge of the cause responsible for defects in the work and his decision shall be final and binding in terms of clause 40.2 of the agreement			
7	Overtime F:	Item		
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be bome by the contractor unless the principal agent has specifically authorised, in writing, prior to execution thereof, that costs for such overtime are to be borne by the employer			
78	Co-operation of contractor for cost management F:	ltem		
	It is specifically agreed that the contractor accepts the obligation of assisting the professional consultants in implementing proper cost management. The contractor will be advised by the principal agent of all cost management procedures which will be implemented to ensure that the final building cost does not exceed the budget. The quantity surveyor undertakes to make available to the contractor all budgetary allowances and cost assessments/reports to enable the proper procedures to be implemented and the contractor will attend all cost plan review and cost management meetings. The contractor undertakes to extend these procedures in regard to all subcontractors			
9	Occupational Health and Safety Specification F:	Item		
	The contractor shall comply with all the requirements set out in the Construction Regulations 2003 Issued under the Occupational Health and Safety Act, 1993 (Act No 85 of 1993). It is required of the contractor to thoroughtly study the Health and Safety Specification that must be read logether with and is deemed to be incorporated under this Section of the bills of quantities / lump sum document. The contractor must take note that compliance with the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is compulsory. In the event of parial or total non-compliance, the principal agent, notwithstanding the provisions of clause A31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satifactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including extension of time or interest, due to such delay of payment. Provisions for pricing of the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is made under this clause and it is explicitly pointed out that all requirements of the aforementioned are deemed to be priced hereunder and no additional claims in this regard shall be entertained.			
в0	ctothing, safety glasses, safety masks, hamesses, etc F:	Item		4.
81	Allow for all compulsory health and safety posters, boards, etc F:T:	Item	-	

.,

	w.		
	Allow for all compulsory health and safety workshops, meetings, lectures,	- 1	1
ŀ	temonstrations, etc. F:	Item	
	Allow for, all compulsary health and safety pamphlets, cards, paperwork, etc to	- 1	1
- 1.	each worker, consultant, public individual, etc coming onto the site	Item	
-1	Allow for compulsory health and safety files that must be completed daily and		
- 1.	must be handed to the employer on completion of the contract	ltem	
- 1	**************************************		
5	Scope of Application as per Act No 85 of 1993 F:	Item	
	Notification of Construction Work as per Act No 85 of 1993 F:		
6	V:	îtem	
	Employer's responsibilities as per Act No 85 of 1993 F:	Item	
- 1	V:T:		
8	Principal Contractor's responsibility as per Act No 85 of 1993 F:V:V:	ltem	
١	Supervision of construction work as per Act No 85 of 1993 F:		
9	V:T:	Item	
	Risk assessment as per Act No 85 of 1993 F: V:	Item	
- 1			
91	Fall protection as per Act No 85 of 1993 F: V:	Item	
	Structures Formwork and Support as per Act No 85 of 1993	11	
92	F: V: V: T:	Item	
0.2	Excavation as per Act No 85 of 1993 F:V:V:	Item	
	Demolotion work as per Act No 85 of 1993 F:		
94	V:T:	Item	
	Tunnelling as per Act No 85 of 1993 F:V:V	140.40	
	T:	ltem	
	Scaffolding as per Act No 85 of 1993 F:V:	Item	
30	Suspended platforms as per Act No 85 of 1993 F:		
97	V:T:	Item	
	Botswains chairs as per Act No 85 of 1993 F:	Item	
	V:	III.	
99	Materials hoists as per Act No 85 of 1993 F:	Item	
•	Batch plant as per Act No 85 of 1993 F:V:		
00	T:	ltem	
	Explosive powered tools as per Act No 85 of 1993 F:	Item	
01	V:T:T	I	
กร	Cranes as per Act No 85 of 1993 F:	Item	
uz	Construction vehicles and mobile plant as per Act No 85 of 1993		
103	F:V:	Item	
	Electrical Installations and machinery on construction sites as per Act No 85 of	Itam	
04	1993 F:T:	item	
	Use and temporary storage of flammable liquids on construction sites as per Act		
105	No 85 of 1993 F:V:V	Item	
	Water environments as per Act No 85 of 1993 F:	Item	
106	V	1	
107	Housekeeping on construction sites as per Act No 85 of 1993 F:	Item	
	Stacking and storage on construction sites as per Act No 85 of 1993		
108	F:Y:	Item	

,	e r i
Fire precautions as per Act No 85 of 1993 F:	item
Construction welfare as per Act No 85 of 1993 F:	ltem
Approved inspection Authorities as per Act No 85 of 1993 F:	ltem
Offences and penalties as per Act No 85 of 1993 F: V:	ltem
Repeal of regulations as per Act No 85 of 1993 F:V:	Item
Short title as per Act No 85 of 1993 F:V:V	item
Obligatory Sub-contracting and Training F:	ltem
The Contractor shall sub-contract 40% of the work to Domestic Sub-contractors as listed in the Schedule of Sub-Contractors in the Returnable Schedules. The Principal Agent and the Contractor shall at all times make sure that the work complies with the relevant specifications, standards and norms as contained in this tender. The Principal Agent and the Contractor shall provide for the necessary skills transfer and assistance to complete the sub-contracted section of the works. The Principal Agent and the Contractor shall provide the necessary documentation to the Domestic Sub-Contractor for upgrading of the rating by CIDB. BEE Sub-Contractors must be 100% black owned and have offices in Mpumalanga Province	
Expanded Public Works Programme F:V:V:	ltem
The Contractor shall study the guidelines for the Implimentation of labour- intensive Infrastructure projects under the Expanded Public Works Programme (EPWP) attached to this document. The Contractor shall take note of the requirements and inform all selected and or other sub-contractors, as no claim afterwards will be entertained	
C11.1Local and largeted labour F:V:V	ltem
Allow for regular submission of proof of employment of local skilled and unskilled labour to Employer's representative F:	Item
Training allowance paid to targeted labour in respect of formal training.  F:V:	ltem .
Extra over for the administration of payment of training allowances to targeted labour F:	Item
Transport and accommodation of workers for training where it is not possible to	ltem .
V:	
T:	ltem
The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the menner in which they are to be executed Should any part of the drawings not be clearly understood by the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent	
C13:General preambles F:V:V:	Item
C14:Trade names F:V:	Item
Wherever a trade name form any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders if prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for	

٠,

	C15:Community Liaison Officer F:V:V	1	1	
125	T:	Item		
126	Allow for a Community Liaison Officer (CLO) to be appointed F:	Item		
	Allow for net extra cost involved in the emloyment of a Community Liaison Officer (CLO) in respect of the site office. F:	Item		
	V:			
	Officer (CLO) in respect of the toilets. F:V:V	Item		
	Allow for net extra cost involved in the employment of a Community Liaison Officer (CLO) in respect of the sheds. FV	Item		
	C16: SANS 1921-6: HIV/AIDS Awareness read in conjunction with the			
	Associated Specification Data F:V:V	Item		
	General requirements (Clause 4.1) F:V:V.	Item		
132	HIV/AIDS awareness programme (Clause 4.2) F:V:	Item		
	Reporting (Clause 4.3) F:V:V:	Item		
	SUMMARY OF CATEGORIES	нз		
	Category : Fixed R			
_	SECTION 1:TOTAL-P & G's			
	SECTION NO. 2	н1		
	BILL NO 1	н1		
	ALTERATIONS (ALL PROVISIONAL)	H1		
	Notes: Tenderers are advised to study the 'Specifications of Materials and Methods to be used' before pricing this Bill			
	GENERAL NOTES	Н2		
	SHORT DESCRIPTIONS	H2	Ï	
	For further preambles and full descriptions of items not fully described in this Bill, reference must be made to supplementary preambles and descriptions in the			
	other Bills of this Section. Such supplementary preambles and descriptions shall apply equally to the work in this Bill			
	other Bills of this Section. Such supplementary preamtices and descriptions shall apply equally to the work in this Bill GENERAL	H2		
1	apply equally to the work in this Bill	H2		
1	apply equally to the work in this Bill  GENERAL  In taking down and removing existing work the ulmost care shall be observed to prevent any structural or other damage to remaining portions of the building and the Contractor shall provide all shoring, needling, strutting, etc. to ensure the stability of all structures during alteration work. Special care shall be exercised during the progress of the work to ensure that any electrical installations, water supply pipes, telephone and other services which may be encountered are not interfered with and notice shall be given to the Representative/Agent if any	CONT		

t •

OLD MATERIALS TO BECOME THE PROPERTY OF THE CONTRACTOR Old materials from alterations, except where described as to be "re-used" or "hand over" become the property of the Contractor who may allow credit for same where provided for in these Bills of Quantities OLD MATERIALS TO BE CARTED AWAY Old materials from the alterations, where described as to be "removed" as well as all rubbish, etc. must be regularly carted from the site and allowed to accumulate on or around the site OLD MATERIALS NOT TO BE RE-USED None of the old materials are to be used for new work except where specifically described as being "set aside for re-use" HANDING OVER OF MATERIALS Where certain materails or articles from alterations are described as to be "handed over" to the Representative/Agent, such material or articles shall be properly stored by the Contractor, until handing over thereof. The Contractor must obtain an official receipt listing the materials or articles and dates of handing over. If the Contractor fails to submit the receipt when requested, it shall be deemed that the materials or articles are still in his possession and he will be held liable to the Department for the full replacement value thereof, which amount will be deducted from any monies due to the Contractor lH2 EXISTING BUILDINGS The existing buildings will be in use and occupied during the progress of the contract and the Contractor will be required to carry out the works in such a manner as will least interfere with the occupants and with the minimum of disturbance Contractors are also to note that due to the buildings being occupied the repairs and renovations works will be required to be executed in a specific order as will be determined by the Representative/Agent in conjunction with the Airforce Base Authorities H2 SIZE PERTAINING TO EXISTING WORK The Contractor is advised to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the correctness of sizes of all new work. All sizes given in relation to existing work are approximate MAKING GOOD DAMAGED WORK The Contractor shall make good in all trades to existing work where damaged or disturbed through the alterations with all necessary new materials to match the existing FORMING NEW OPENINGS OR ALTERING OPENINGS IN EXISTING WALLS Descriptions of forming new openings or altering openings in existing walls sha be deemed to include breaking out for and forming new brick, in-situ concrete or prestressed concrete lintels, including all reinforcement, formwork, turning pieces, etc., building up Jamps or portion of openings as described with brickwork properly toothed and bonded to existing, building cavities of hollow walls solld where necessary and making good finishes all round on both sides and into reveals as described H2 BUILDING UP OPENINGS Descriptions of building up existing openings where given in number shall be deemed to Include preparing existing surfaces all around, brickwork properly toothed and bonded to existing, wedging up and making good on both sides as described PAINTWORK Where plasterwork on walls, ceilings, etc. are required to be patched or made good, prices are to include for the appropriate priming coat and one coat undercoat to receive paint finishing coats which are measured elsewhere The contractor must protect all work not removed such as walls, floors, doors, windows, fittings, etc. from damage during the progress of the work and provide all necessary materials for doing so. All shoring, etc. of portions of the existing buildings necessary to ensure the stability of the premises while executing the demolitions or alterations is to be provided by the contractor, who will be held solely responsible for any damage to persons or properly and for safety of the structure throughout the contract period. The contractor will be required to make good at his own expense any damage that may occur. Tenderers are advised to visit the site before tendering and satisfy themselves as to the nature and extent of the works, means of access to the site and

availability of working space. No claims will be entertained due to the tenderer having failed to comply with the above conditions. The descriptions in the items are given as a guide and to assist contractors in tendering, but not necessarily accurate or complete. Contractors must verify the items by personal inspection on the site. Unless otherwise stated the contractor shall not remove or interfere with any furniture, furnishings, fittings or similar articles belonging to the

Employer and for their staff.

. · · · · · · · · · · · · · · · · · · ·	9 9 UY
ROCEDURE OF WORK	H2
ne Representative/Agent reserves the right to direct the order in which the intract will be executed, should circumstances necessitate such action.	
OSS BY THEFT, FIRE OR OTHERWISE	H2
The risk of loss, theft, fire, storm, riot or otherwise of the buildings to be lemolished and the materials therein shall rest entirely with the contractor mmediately upon the handing over of the site. He shall take such steps as he nay deem fit for his own protection against such loss.	
Yater and other piping	H2
Any water supply or other piping that may be met with and found necessary to disconnect or cut are to be effectually stopped off or grubbed up and removed and any new connections that may be necessary and are to be made with proper littings and to the satisfaction of the Architect to whom due notice is to be given regarding all alterations to existing services. Prices for items of demolitions, are where applicable, to include for taking out and removing all sanitary fittings, plumbing and water supplies.	
lectrical and other services	H2
Special care is to be excercised not to unnecessarily interfere with any electric ight, bell, power, telephone or other wires and fittings that may be met with and due notice must be given to the Architect when any disconnections, removals, diversions, Interruptions, etc. are necessary and the contractor is to afford every facility to the workmen carrying out this work.	
The contractor must protect all work not removed such as walls, floors, doors, windows, fittlings, etc. from damage during the progress of the work and provide all necessary materials for doing so. All shoring, etc. of portions of the existing buildings necessary to ensure the stability of the premises while executing the demolitions or alterations is to be provided by the contractor, who will be held solely responsible for any damage to persons or property and for safety of the structure throughout the contract period. The contractor will be required to make good at his own expense any damage that may occur.	
xisting buildings occupied	H2
Tenderers are advised that the existing buildings will be in occupation during the building operations and due allowance must be made for the work being carried but in such a manner as will least interfere with the general routine of the occupants. Adequate warning must be given if a particular section of the building has to be evacuated to carry out the work.	

c 1	1	i i		1	Ĕ
Noise prevention	H2				
The contractor shall take special care to minimise noisy operations during business hours. Such measures will include, inter alia, the use of silent compressors and strict control of workmen.					
The contractor shall demolish the portions of existing structures or buildings with a minimum amount of damage to adjoining buildings, materials, pavings, etc. Any damage caused is to be made good at his own expense with materials to match the existing to the entire satisfaction of the Architect. Tenderers should take particular note of and allow accordingly in their prices for the type of structure and materials to be encountered and the thickness of walls, concrete slabs, etc. to be demolished. Unless otherwise described all materials arising from the demolitions and alterations are to become the property of the contractor and he is to allow a credit for the same as provided for on the final summary page. These materials, including all rubbish and debris shell be immediately carted away and the site left clean and unremcumbered. None of the old brick from the demolitions are to be re-used for any new brickwork.					
Bricking up, altering or breaking new opening in existing walls	H2				
Where the Contractor is required to form openings, after openings or brick up openings in existing walls all brickwork shall be made good at jambs including properly bonding to existing. Brickwork in bricking up openings shall be wedged and pinned up to brickwork or concrete over in cement mortar. Cement screeds, pavings, granolithic, etc. in openings are to be levelled and prepared for raising of brickwork. Plaster to reveals to openings are to have all external angles rounded and making good of finishes is to include for junction with existing finishes. Where openings are described as having new brick lintols they are to be with minimum 220mm end bearings and prices are to include for brick reinforcement to suit the width of the wall. Lintols are to be three courses high up to span of 1000mm and four courses high when exceeding that span and brickwork is to be built in 1:3 cement mortar. Where openings are described as having precast prestressed concrete lintols they are to be with minimum 220mm end bearings of 30 MPe concrete. One prestressed lintol for each half brick thickness is required and is to be reinforced with and including all necessary high tensile wire.					
Making good, etc.  Prices are to include for making good in all trades to existing work, where damaged or disturbed through alterations, with all necessary new materials to match existing and leave complete and perfect in every respect.	H2				
REMOVAL OF EXISTING WORK	H2				
SECTION 2					
BILL NO. 1					
ALTERATIONS					
DEMOLITIONS ETC					
Parity Control of the					
Taking down and removing					
Diamond mesh fence 2.5m high with steel posts and droppers	m	118			
One brick boundary or yard wall 2.1m high	m	5.88			
Demolishing and removing				- 1	
Concrete foundation and retaining wall	m	100.7			
SECTION 2					
BILL NO. 2	1				
CLEARING AND GRUBBING					
Removal and grubbing up roots of large trees:					
a) Girth exceeding 1 m up to and not exceeding 1.5 m	no.	6			
a) Girth exceeding 1.5 m up to and including 2 m	no.				
	1	1	1		

	SECTION 2 TOTAL ALTERATIONS			
	SECTION 3: CONSTRUCTION OF A NEW BOUNDARY WALL			
	BILL NO. 1	Н1		
	FOUNDATIONS (PROVISIONAL)	Н1		
	NOTE: Unless otherwise stated herein, all Items in this bill shall be deemed to fall into Work Group No. 104 for CPAP formula purposes			
	SUPPLEMENTARY PREAMBLES	H2		
	Nature of ground	нз		
	The nature of the ground is assumed to be loose sandy material, therefore "earth", but possibly interspersed with "hard rock" or "soft rock"			
	Carting away of excavated material	нз		
- 1	Descriptions of carting away of excavaled material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site			
1	EARTHWORKS	Н1		
	EXCAVATION, FILLING, ETC	H2		
	Excavation in earth not exceeding 2m deep	нз		
1.1	Trenches	m3	76.14	
	Extra over all excavations for carting away	нз		
1.2	Surplus material from excavations and/or stock piles on site for later reuse when needed	m3	34.68	
1.3	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m3	32.63	
	Risk of collapse of excavations	нз		
1.4	Sides of trench and hole excavations not exceeding 1,5m deep	m2	945.9	
	Keeping excavations free of water	нз		
	Keeping excavations free of all water other than subterranean water	Item		

		6 9	1	1	
	G5 filling supplied by the contractor compacted in layers not exceeding 150mm deep to 95% Mod AASHTO at +- 1% optimum moisture content	нз			
	150mm deep to 95% mod AASH   Q at \$1% optimizing more commen				
1.6	Under Strip footing	m3	16.32		
1.7	Backfilling to trenches, holes, side of concrete brick walls etc	m3	96.48		
	SOIL POISONING	H2			
	Soll insectiside	нз			
1.8	To bottoms and sides of trenches	m2	488.72		
	SECTION 3				
	BILL NO. 2				
	CONCRETE	H1			
	<del>QQTQJE1E</del>				
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES	H2			
	25MPa/19mm concrete	нз			
2.1	Strlp footings	m3	11.82		
2.2	On superstructure walls	m3	15.45		
	REINFORCEMENT (PROVISIONAL)				
	Mild steel reinforcement to structural concrete work				
2.3	8mm Diameter bars	t	0.8		
	High tensile steel reinforcement to structural concrete work				
2.4	12mm Diameter bars	t	1.2		
	SECTION 3				
	BILL NO 3	l			
	MASONRY	H1			
	NOTE : Unless otherwise stated herein, all items in this bill shall be deemed to fall into Work Group No. 116 for CPAP formula purposes				
	SUPPLEMENTARY PREAMBLES	H2			
	BRICKWORK	H2			
	Sizes in descriptions	нз			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick				
	Face bricks	нз			
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	Pointing	нз			
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall				
	be deemed to include square recessed, hollow recessed, weathered pointing, etc.				
	FOUNDATIONS				
	Brickwork in NFP bricks in class II mortar				
	One and half brick wall with concrete cavity in between (concrete measured	m2	94.59		
3.	1 alsewhere)	1776			
	SUPERSTRUCTURE	H2		1	
	Brickwork in NFX bricks in class il mortar	нз			

12	Transfer of the Control of the Contr	i i	1	1	
3.2	140mm building block walls	m2	548.2		
	One and half brick wall with concrete cavity in between (concrete measured alsewhere)	m2	123.6		
ļ.	BRICKWORK SUNDRIES	H2			
1	Brickwork reinforcement	нз			
3.4	75mm Wide reinforcement built in horizontally	m	630		
	SECTION 3				
ļ	BILL NO. 4	Н1			
	PLASTERING	H1			
	NOTE: Unless otherwise stated herein, all Items in this bill shall be deemed to fall into Work Group No. 142 for CPAP formula purposes.				
ļ	EXTERNAL PLASTER	H2			
	Coment plaster on brickwork	нз			
4.1	On walls	m2	13.1		
	SECTION 3				
	BILL NO. 5	H1			
	PAINTWORK	H1			
	NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to fall into Work Group No. 152 for CPAP formula purposes				
	ON FLOATED PLASTER	H2			,
	One coat alkali resistant primer, one undercoat and two coats egashell ename! paint	нз			
5.1	On external walls	m2	52.4		
	ON METAL	H2			
	Spot priming defects in ore primed surfaces with zinc chromate primer and applying one undercoat and two coat high gloss enamel paint on steel	нз			
5.2	On gates, grilles, burglar screens, balustrades, etc (both sides measured over the full flat area)	m2	15.2		
	SECTION 3: CONSTRUCTION OF A NEW BOUNDARY WALL				
	T1051272 MV0				
	SECTION 4	H2			
	BILL NO. 1	нз			
	METAL WORK	H2			
	SUPPLEMENTARY PREAMBLES	нз			
	<u>Descriptions</u> Descriptions of bolts shall be deemed to include nuts and washers			43	
	Descriptions of boils shall be desired to molecular the area.				
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete				
	Metalwork described as "holed for bolt(s)" shall be deemed to exclude the bolts unless otherwise described				
	WELDED GATES, ETC				
	Steel cates and frames				
1.1	3 000 x 1 800mm high overall steel gate and frame, the outer frame of 45 x 45mm hollow section bolted to wall with and including eight 70mm M80 expansion bolts	no.	1		
	SECTION 4: METAL WORK				

	a	4	1
SECTION 1:TOTAL-P & G's (@10%)	Sum	1	
SECTION 2: TOTAL ALTERATIONS	Sum	1	
SECTION 3: CONSTRUCTION OF A NEW BOUNDARY WALL	Sum	1	
SECTION 4: METAL WORK	Sum	1	
SUB TOTAL (A)	ST	0	
COMMNUNITY LIASON OFFICER	нз	0	
Provide the amount of R 21 000.00 (Thirty Thousand Rands @ R 7 500.00/month x 4 Months) for the appointment of community liaison officer	Item	4	
SUB TOTAL (B)	ST	0	
CONTIGENCY	Н3	О	
Allow 2,5% Contingecies	Item	1	
SUB TOTAL (C)	ST	0	
add: Value Added Tax @ 15.0%	TAX	15%	

### **Tender Notice and Invitation to Tender**

# Appointment of a service provider to build a boundary wall at Kanyamazane small Industrial Park

Employer Tender Number: RFQ00443 - 25/26

cidb Reference Number: 100110670

#### MPUMALANGA ECONOMIC GROWTH AGENCY INVITES TENDERS FOR BUILDING A BOUNDARY WALL

It is estimated that tenderers should have a cidb contractor grading of 2GB or higher. 1GB Potentially Emerging Enterprises who satisfy criteria stated in the Tender Data may submit Tender offers.

Preferences are offered to tenderers who CIDB Grading of 2GB or Higher

tender document can be downloaded at Mega's website www.mega.gov.za

Queries relating to the issues of these documents may be addressed to:

Bongani Ngcane

Tel No. 0134925818

E-mail. bongani.ngcane@mega.gov.za

The closing time for receipt of Tenders is 12h00 on Friday, November 14, 2025.

Late Tenders will not be accepted.

Tenders may only be submitted on the tender documentation that is issued.

Requirements for sealing, addressing, delivering, opening and assessment of Tenders are stated in the Tender Data.