



REQUEST FOR QUOTATIONS (RFQ) FOR PROCUREMENT OF GOODS AND SERVICES

DESCRIPTION OF WORK

APPOINTMENT OF A SERVICE PROVIDER FOR DRILLING AND EQUIPPING OF BOREHOLE INCLUDING GEO-HYDRO INVESTIGATIONS, RENOVATIONS OF WATERBORNE TOILETS AND OTHER RELATED SERVICES AT KWAGGAFONTEIN SIP IN DR THEMBISILE HANI LOCAL MUNICIPALITY. (CIDB GRADING 2GB OR HIGHER)

QUOTATION DETAILS

QUOTATION NUMBER: **RFQ00792 - 25/26**

CLOSING Date: **16 / 03 / 2026**

Time: **09:00**

Compulsory Briefing session:

Yes

No

If Yes, Date and time of compulsory briefing session:

Date: _____ Time: 00:00 am

DETAILS OF RESPONDENT

Name of bidder: _____

Please indicate whether it is the original or copy, tick the applicable block

ORIGINAL

COPY

REQUEST FOR QUOTATIONS (RFQ)

1. GENERAL CONDITIONS OF THE RFQ:

- 1.1. The 80/20 evaluation criteria for requirements with a Rand value of up to R50 000 000 (all applicable taxes included) will be used for this bid.
- 1.2. The value of this bid is estimated not exceed R1 000 000.00 (all applicable taxes included).
- 1.3. Fully comply with the scope of work / service or **(Attached Scope of work / service)**
- 1.4. Quotations must be valid for a period of 30 days
- 1.5. The Bidder's quotation to bear correct contact details and address
- 1.6. Fully completed Standard Bidding Documents (SBD4 and SBD 6.1)
- 1.7. The bidder must be registered on the Central Supplier Database (CSD)
- 1.8. This bid will **NOT** be evaluated on functionality
- 1.9. Submit a Detailed CSD not older than a (1) month.
- 1.10 Submit a valid proof of CIDB registration.

2. SCOPE OF WORK / SERVICE OR ITEMS

No	Scope of work
1	APPOINTMENT OF A SERVICE PROVIDER FOR DRILLING AND EQUIPPING OF BOREHOLE INCLUDING GEO-HYDRO INVESTIGATIONS, RENOVATIONS OF WATERBORNE TOILETS AND OTHER RELATED SERVICES AT KWAGGAFONTEIN SIP IN DR THEMBISILE HANI LOCAL MUNICIPALITY. <i>(see attached spec)</i>

3. MANDATORY REQUIREMENTS

3.1 Submissions and enquiries:

- scm@mega.gov.za

3.2 Referencing:

- **RFQ Number.** *(must be on the subject line on email)*

3.3. CSD Number:

- **MAAA-**

DRILLING AND EQUIPPING OF BOREHOLE INCLUDING GEO-HYDRO INVESTIGATIONS, RENOVATION OF WATERBORNE TOILETS AND OTHER RELATED SERVICES AT KWAGGAFONTEIN SMALL INDUSTRIAL PARK IN THEMBISILE HANI LOCAL MUNICIPALITY, NKANGALA DISTRICT IN THE MPUMALANGA PROVINCE				
DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
SECTION NO. 1				
BILL NO 1				
PRELIMINARIES				
BUILDING AGREEMENT AND PRELIMINARIES				
<p>The JBCC Series 2000 Principal Building Agreement (July 2007 edition 5.0, reprint 1) prepared by the Joint Building Contracts Committee shall be the applicable building agreement, amended as hereinafter described</p> <p>The JBCC Principal Building Agreement Contract Data EC and the JBCC Principal Building Agreement Contract Data CE form an integral part of this agreement</p> <p>The ASAQS Preliminaries (November 2007 edition) published by the Association of South African Quantity Surveyors for use with the said JBCC Principal Building Agreement shall be deemed to be incorporated in these bills of quantities</p> <p>Contractors are referred to the abovementioned documents for the intent and meaning of each clause thereof</p> <p>These clauses are hereinafter referred to by clause number and heading only. Where standard clauses or alternatives are not entirely applicable to this agreement such modifications, corrections or supplements as will apply are given under each relevant clause heading and such modifications, corrections or supplements shall take precedence notwithstanding anything contrary contained in the abovementioned documents</p> <p>Where any item is not relevant to this specific agreement such item is marked N/A (signifying 'not applicable')</p>				
PREAMBLES FOR TRADES				
<p>The Model Preambles for Trades (2008 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained</p> <p>Supplementary preambles are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles shall take precedence over the provisions of the said Model Preambles</p> <p>The contractor's prices for all items throughout these bills of quantities must take account of and include for all of the obligations, requirements and specifications given in the said Model Preambles and in any supplementary preambles</p>				
PRICING OF PRELIMINARIES				
<p>Should the contractor select Option A in terms of subclause 3.2.1 in the Contract Data - Contractor to Employer (CE) for the purpose of adjustment of these preliminaries, the amount entered into the amount column in these preliminaries is to be divided into one or more of the three categories provided namely Fixed (F), Value Related (V) and Time Related (T)</p>				
SECTION A: PRINCIPAL BUILDING AGREEMENT				
Definitions (A1)				
<p>Clause 1.0 - Definitions and Interpretation The measuring system used for the preparation of the bills of quantities is the Standard System of Measuring Building Work (sixth edition, revised 1999) published by the Association of South African Quantity Surveyors [1.1] F:..... V:..... T:..... @ 10%</p>				
	Item	1		R
Objective and preparation (A2 - A14)				
<p>Clause 2.0 - Offer acceptance and performance obligations F:..... V:..... T:.....</p>				
	Item			
<p>Clause 3.0 - Documents Refer to Annexure A for a list of the contract drawings. Provision is made in the summary page of these bills of quantities for the inclusion of Value Added Tax (VAT) [3.5] The principal agent shall decide which portion of the priced document may be used as a specification of materials and goods or methods, if any [3.9] F:..... V:..... T:.....</p>				
	Item			
<p>Clause 4.0 - Design responsibility F:..... V:..... T:.....</p>				
	Item			
<p>Clause 5.0 - Employer's agents F:..... V:..... T:.....</p>				
	Item			
<p>Clause 6.0 - Contractor's site representative F:..... V:..... T:.....</p>				
	Item			
<p>Clause 7.0 - Compliance with laws and regulations. Without limiting the generality of the provisions of clause 7.0, the contractor's attention is drawn to the provisions of the Construction Regulations, 2003 issued in terms of the Occupational Health and Safety Act, 1993. It is specifically stated that the employer shall prepare a documented health and safety specification for the works and that the employer shall ensure that the contractor has made provision for the cost of health and safety measures during the execution of the works. The contractor shall price opposite this item for compliance with the act and the regulations and the reasonable provisions of the aforementioned health and safety specification [7.1] F:..... V:..... T:.....</p>				
	Item			
<p>Clause 8.0 - Works risk F:..... V:..... T:.....</p>				
	Item			
<p>Clause 9.0 - Indemnities F:..... V:..... T:.....</p>				
	Item			
<p>Clause 10.0 - General insurances F:..... V:..... T:.....</p>				
	Item			
<p>Clause 11.0 - Special insurances F:..... V:..... T:.....</p>				
	Item			
<p>Clause 12.0 - Effecting insurances F:..... V:..... T:.....</p>				
	Item			

Clause 13.0 - Assignment F:..... V:..... T:.....	Item			
Clause 14.0 - Security F:..... V:..... T:.....	Item			
Execution (A15 - A23)				
Clause 15.0 - Preparation for and execution of the works F:..... V:..... T:.....	Item			
Clause 16.0 - Site and access Certain areas will be occupied during the construction period and the contractor must execute the works with as little noise and disturbance as possible to the occupants. [16.5] F:..... V:..... T:.....	Item			
Clause 17.0 - Contract instructions F:..... V:..... T:.....	Item			
Clause 18.0 -Setting out of the works The contractor shall notify the principal agent if any encroachment of adjoining foundations, buildings, structures, pavements, boundaries, etc. exist in order that the necessary arrangements may be made for the rectification of any such encroachments [18.1] F:..... V:..... T:.....	Item			
Clause 19.0 - Temporary works and plant Clause 19.1.1 - Enclosure of the works F:..... V:..... T:.....	Item			
Clause 19.1.2 - Office accommodation - provide suitable office accommodation for site meetings with tables and chairs for ten people F:..... V:..... T:.....	Item			
Clause 20.0 - Nominated subcontractors Refer to the provisions on general attendance hereinafter F:..... V:..... T:.....	Item			
Clause 21.0 - Selected subcontractors General attendance of n/s subcontractors for pricing by the contractor shall be in accordance with the n/s agreement. Notwithstanding this provision, general attendance shall be deemed to include for the contractor to provide free of charge to any n/s subcontractor such scaffolding as may reasonably be required by such n/s subcontractor for the execution of the relevant subcontract work F:..... V:..... T:.....	Item			
Clause 22.0 - Employer's direct contractors F:..... V:..... T:.....	Item			
Clause 23.0 - Contractor's domestic subcontractors F:..... V:..... T:.....	Item			
Completion (A24 - A30)				
Clause 24.0 - Practical completion F:..... V:..... T:.....	Item			
Clause 25.0 - Works completion F:..... V:..... T:.....	Item			
Clause 26.0 - Final completion F:..... V:..... T:.....	Item			
Clause 27.0 - Latent defects liability period F:..... V:..... T:.....	Item			
Clause 28.0 - Sectional completion F:..... V:..... T:.....	Item			
Clause 29.0 - Revision of date for practical completion The removal and replacement of materials and/or workmanship which do not conform to the specification or the contract drawings shall not constitute grounds for the extension of the construction period nor for the adjustment of the contract value (Clause 29.3) F:..... V:..... T:.....	Item			
Clause 30.0 - Penalty for late or non-completion: 0.05% of the Contract Amount inclusive of Value Added Tax per Calendar day F:..... V:..... T:.....	Item			
Payment (A31 - A35)				
Clause 31.0 - Interim payment Materials and goods stored off site shall not be included in the amount authorised for payment [31.6.5] F:..... V:..... T:.....	Item			
Clause 32.0 - Adjustment to the contract value - NOT APPLICABLE All fluctuations in costs, with the exception of fluctuations in the rate of Value Added Tax, shall be for the account of the contractor [32.13] Where prices are submitted by the contractor or n/s subcontractor during the progress of the works in respect of contract instructions or in regard to a claim under the terms of the agreement and notwithstanding the fact that such prices may be used in an interim payment certificate there is to be no presumption of acceptance. Should the principal agent wish to accept any such prices prior to the issue of the certificate of final completion, it shall be in writing The contractor shall not receive any mark-up for overheads and profit on any omission of tenant installation work or tenant installation work by others. Claims for loss of profit shall not be entertained [32.2] F:..... V:..... T:.....	N/A			
Clause 33.0 - Recovery of expense and loss F:..... V:..... T:.....	Item			
Clause 34.0 - Final account and final payment F:..... V:..... T:.....	Item			
Clause 35.0 - Payment to other parties F:..... V:..... T:.....	Item			
Termination (A36 - A39)				
Clause 36.0 - Termination by employer - contractor's default F:..... V:..... T:.....	Item			
Clause 37.0 - Termination by employer - loss and damage F:..... V:..... T:.....	Item			
Clause 38.0 - Termination by contractor - employer's default F:..... V:..... T:.....	Item			
Clause 39.0 - Termination - cessation of the works F:..... V:..... T:.....	Item			
Dispute (A40)				

<p>The contractor shall comply with all the requirements set out in the Construction Regulations 2003 issued under the Occupational Health and Safety Act, 1993 (Act No 85 of 1993). It is required of the contractor to thoroughly study the Health and Safety Specification that must be read together with and is deemed to be incorporated under this Section of the bills of quantities / lump sum document. The contractor must take note that compliance with the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions of clause A31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including extension of time or interest, due to such delay of payment. Provisions for pricing of the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is made under this clause and it is explicitly pointed out that all requirements of the aforementioned are deemed to be priced hereunder and no additional claims in this regard shall be entertained.</p>			
<p>Allow for the compulsory equipment and clothing, ie hats, safety shoes, safety clothing, safety glasses, safety masks, harnesses, etc F:..... V:..... T:.....</p>	Item		
<p>Allow for all compulsory health and safety posters, boards, etc F:..... V:..... T:.....</p>	Item		
<p>Allow for all compulsory health and safety workshops, meetings, lectures, demonstrations, etc F:..... V:..... T:.....</p>	Item		
<p>Allow for all compulsory health and safety pamphlets, cards, paperwork, etc to each worker, consultant, public individual, etc coming onto the site F:..... V:..... T:.....</p>	Item		
<p>Allow for compulsory health and safety files that must be completed daily and must be handed to the employer on completion of the contract F:..... V:..... T:.....</p>	Item		
<p>Scope of Application as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Notification of Construction Work as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Employer's responsibilities as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Principal Contractor's responsibility as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Supervision of construction work as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Risk assessment as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Fall protection as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Structures Formwork and Support as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Excavation as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Demolition work as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Tunnelling as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Scaffolding as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Suspended platforms as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Boswain's chairs as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Materials hoists as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Batch plant as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Explosive powered tools as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Cranes as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Construction vehicles and mobile plant as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Electrical installations and machinery on construction sites as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Use and temporary storage of flammable liquids on construction sites as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Water environments as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Housekeeping on construction sites as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Stacking and storage on construction sites as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Fire precautions as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Construction welfare as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		
<p>Approved inspection Authorities as per Act No 85 of 1993 F:..... V:..... T:.....</p>	Item		

Offences and penalties as per Act No 85 of 1993 F:..... V:..... T:.....	Item			
Repeal of regulations as per Act No 85 of 1993 F:..... V:..... T:.....	Item			
Short title as per Act No 85 of 1993 F:..... V:..... T:.....	Item			
Obligatory Sub-contracting and Training F:..... V:..... T:.....	Item			
The Contractor shall sub-contract 40% of the work to Domestic Sub-contractors as listed in the Schedule of Sub-Contractors in the Returnable Schedules. The Principal Agent and the Contractor shall at all times make sure that the work complies with the relevant specifications, standards and norms as contained in this tender. The Principal Agent and the Contractor shall provide for the necessary skills transfer and assistance to complete the sub-contracted section of the works. The Principal Agent and the Contractor shall provide the necessary documentation to the Domestic Sub-Contractor for upgrading of the rating by CIDB. BEE Sub-Contractors must be 100% black owned and have offices in Mpumalanga Province				
Expanded Public Works Programme F:..... V:..... T:.....	Item			
The Contractor shall study the guidelines for the implementation of labour-intensive infrastructure projects under the Expanded Public Works Programme (EPWP) attached to this document. The Contractor shall take note of the requirements and inform all selected and or other sub-contractors, as no claim afterwards will be entertained				
C11: Local and targeted labour F:..... V:..... T:.....	Item			
Allow for regular submission of proof of employment of local skilled and unskilled labour to Employer's representative F:..... V:..... T:.....	Item			
Training allowance paid to targeted labour in respect of formal training. F:..... V:..... T:.....	Item			
Extra over for the administration of payment of training allowances to targeted labour F:..... V:..... T:.....	Item			
Transport and accommodation of workers for training where it is not possible to undertake the training in close proximity to the site F:..... V:..... T:.....	Item			
C12: Contract drawings F:..... V:..... T:.....	Item			
The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the manner in which they are to be executed. Should any part of the drawings not be clearly understood by the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent				
C13: General preambles F:..... V:..... T:.....	Item			
C14: Trade names F:..... V:..... T:.....	Item			
Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders. If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for				
C15: Community Liaison Officer F:..... V:..... T:.....	Item			
Allow for a Community Liaison Officer (CLO) to be appointed F:..... V:..... T:.....	Item			
Allow for net extra cost involved in the employment of a Community Liaison Officer (CLO) in respect of the site office. F:..... V:..... T:.....	Item			
Allow for net extra cost involved in the employment of a Community Liaison Officer (CLO) in respect of the toilets. F:..... V:..... T:.....	Item			
Allow for net extra cost involved in the employment of a Community Liaison Officer (CLO) in respect of the sheds. F:..... V:..... T:.....	Item			
C16: SANS 1921-6: HIV/AIDS Awareness read in conjunction with the Associated Specification Data F:..... V:..... T:.....	Item			
General requirements (Clause 4.1) F:..... V:..... T:.....	Item			
HIV/AIDS awareness programme (Clause 4.2) F:..... V:..... T:.....	Item			
Reporting (Clause 4.3) F:..... V:..... T:.....	Item			
SUMMARY OF CATEGORIES				
Category: Fixed R:..... Category: Value R:..... Category: Time R:.....				
SECTION 1: TOTAL PRELIMINARIES				R

<p>SECTION NO. 2</p> <p>RENOVATION OF THE WATERBORNE TOILETS</p> <p>BILL NO 1</p> <p>ALTERATIONS (ALL PROVISIONAL)</p> <p>Notes: Tenderers are advised to study the 'Specifications of Materials and Methods to be used' before pricing this Bill</p> <p>GENERAL NOTES</p> <p>SHORT DESCRIPTIONS</p> <p>For further preambles and full descriptions of items not fully described in this Bill, reference must be made to supplementary preambles and descriptions in the other Bills of this Section. Such supplementary preambles and descriptions shall apply equally to the work in this Bill</p> <p>GENERAL</p> <p>In taking down and removing existing work the utmost care shall be observed to prevent any structural or other damage to remaining portions of the building and the Contractor shall provide all shoring, needling, strutting, etc. to ensure the stability of all structures during alteration work. Special care shall be exercised during the progress of the work to ensure that any electrical installations, water supply pipes, telephone and other services which may be encountered are not interfered with and notice shall be given to the Representative/Agent if any disconnection or alterations become necessary.</p> <p>Any water supply and other piping that may be encountered and which is found necessary to disconnect or cut shall, after such disconnection or cutting has been authorised by the Representative/Agent, be effectively stopped off and any new connections that may be necessary made with the proper tees, junction pieces, etc. to the satisfaction of the Representative/Agent. The Contractor shall afford every facility to workmen not under his control making disconnections and new connections as required to any services.</p> <p>MATERIALS FROM THE ALTERATIONS, CREDIT, ETC.</p> <p>OLD MATERIALS TO BECOME THE PROPERTY OF THE CONTRACTOR Old materials from alterations, except where described as to be "re-used" or "handed over" become the property of the Contractor who may allow credit for same where provided for in these Bills of Quantities. OLD MATERIALS TO BE CARTED AWAY Old materials from the alterations, where described as to be "removed" as well as all rubbish, etc. must be regularly carted from the site and not be allowed to accumulate on or around the site. OLD MATERIALS NOT TO BE RE-USED None of the old materials are to be used for new work except where specifically described as being "set aside for re-use". HANDING OVER OF MATERIALS Where certain materials or articles from alterations are described as to be "handed over" to the Representative/Agent, such material or articles shall be properly stored by the Contractor, until handing over thereof. The Contractor must obtain an official receipt listing the materials or articles and dates of handing over. If the Contractor fails to submit the receipt when requested, it shall be deemed that the materials or articles are still in his possession and he will be held liable to the Department for the full replacement value thereof, which amount will be deducted from any monies due to the Contractor.</p> <p>EXISTING BUILDINGS</p> <p>The existing buildings will be in use and occupied during the progress of the contract and the Contractor will be required to carry out the works in such a manner as will least interfere with the occupants and with the minimum of disturbance. Contractors are also to note that due to the buildings being occupied the repairs and renovations works will be required to be executed in a specific order as will be determined by the Representative/Agent in conjunction with the Airforce Base Authorities.</p> <p>SIZE PERTAINING TO EXISTING WORK</p> <p>The Contractor is advised to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the correctness of sizes of all new work. All sizes given in relation to existing work are approximate.</p> <p>MAKING GOOD DAMAGED WORK</p> <p>The Contractor shall make good in all trades to existing work where damaged or disturbed through the alterations with all necessary new materials to match the existing.</p> <p>FORMING NEW OPENINGS OR ALTERING OPENINGS IN EXISTING WALLS</p> <p>Descriptions of forming new openings or altering openings in existing walls shall be deemed to include breaking out for and forming new brick, in-situ concrete or prestressed concrete lintels, including all reinforcement, formwork, turning pieces, etc., building up jambs or portion of openings as described with brickwork properly toothed and bonded to existing, building cavities of hollow walls solid where necessary and making good finishes all round on both sides and into reveals as described.</p> <p>BUILDING UP OPENINGS</p> <p>Descriptions of building up existing openings where given in number shall be deemed to include preparing existing surfaces all around, brickwork properly toothed and bonded to existing, wedging up and making good on both sides as described.</p> <p>PAINTWORK</p> <p>Where plasterwork on walls, ceilings, etc. are required to be patched or made good, prices are to include for the appropriate priming coat and one coat undercoat to receive paint finishing coats which are measured elsewhere.</p> <p>The contractor must protect all work not removed such as walls, floors, doors, windows, fittings, etc. from damage during the progress of the work and provide all necessary materials for doing so. All shoring, etc. of portions of the existing buildings necessary to ensure the stability of the premises while executing the demolitions or alterations is to be provided by the contractor, who will be held solely responsible for any damage to persons or property and for safety of the structure throughout the contract period. The contractor will be required to make good at his own expense any damage that may occur.</p> <p>Tenderers are advised to visit the site before tendering and satisfy themselves as to the nature and extent of the works, means of access to the site and availability of working space. No claims will be entertained due to the tenderer having failed to comply with the above conditions. The descriptions in the items are given as a guide and to assist contractors in tendering, but not necessarily accurate or complete. Contractors must verify the items by personal inspection on the site. Unless otherwise stated the contractor shall not remove or interfere with any furniture, furnishings, fittings or similar articles belonging to the Employer and/or their staff.</p>				
---	--	--	--	--

<p>PROCEDURE OF WORK</p> <p>The Representative/Agent reserves the right to direct the order in which the contract will be executed, should circumstances necessitate such action.</p> <p>LOSS BY THEFT, FIRE OR OTHERWISE</p> <p>The risk of loss, theft, fire, storm, riot or otherwise of the buildings to be demolished and the materials therein shall rest entirely with the contractor immediately upon the handing over of the site. He shall take such steps as he may deem fit for his own protection against such loss.</p> <p>Water and other piping</p> <p>Any water supply or other piping that may be met with and found necessary to disconnect or cut are to be effectually stopped off or grubbed up and removed and any new connections that may be necessary and are to be made with proper fittings and to the satisfaction of the Architect to whom due notice is to be given regarding all alterations to existing services.</p> <p>Prices for items of demolitions, are where applicable, to include for taking out and removing all sanitary fittings, plumbing and water supplies.</p> <p>Electrical and other services</p> <p>Special care is to be exercised not to unnecessarily interfere with any electric light, bell, power, telephone or other wires and fittings that may be met with and due notice must be given to the Architect when any disconnections, removals, diversions, interruptions, etc. are necessary and the contractor is to afford every facility to the workmen carrying out this work.</p> <p>The contractor must protect all work not removed such as walls, floors, doors, windows, fittings, etc. from damage during the progress of the work and provide all necessary materials for doing so. All shoring, etc. of portions of the existing buildings necessary to ensure the stability of the premises while executing the demolitions or alterations is to be provided by the contractor, who will be held solely responsible for any damage to persons or property and for safety of the structure throughout the contract period. The contractor will be required to make good at his own expense any damage that may occur.</p> <p>Existing buildings occupied</p> <p>Tenderers are advised that the existing buildings will be in occupation during the building operations and due allowance must be made for the work being carried out in such a manner as will least interfere with the general routine of the occupants. Adequate warning must be given if a particular section of the building has to be evacuated to carry out the work.</p> <p>Noise prevention</p> <p>The contractor shall take special care to minimise noisy operations during business hours. Such measures will include, inter alia, the use of silent compressors and strict control of workmen.</p> <p>The contractor shall demolish the portions of existing structures or buildings with a minimum amount of damage to adjoining buildings, materials, pavings, etc. Any damage caused is to be made good at his own expense with materials to match the existing to the entire satisfaction of the Architect. Tenderers should take particular note of and allow accordingly in their prices for the type of structure and materials to be encountered and the thickness of walls, concrete slabs, etc. to be demolished. Unless otherwise described all materials arising from the demolitions and alterations are to become the property of the contractor and he is to allow a credit for the same as provided for on the final summary page. These materials, including all rubbish and debris shall be immediately carted away and the site left clean and unencumbered. None of the old brick from the demolitions are to be re-used for any new brickwork.</p> <p>Bricking up, altering or breaking new opening in existing walls</p> <p>Where the Contractor is required to form openings, alter openings or brick up openings in existing walls all brickwork shall be made good at jambs including properly bonding to existing. Brickwork in bricking up openings shall be wedged and pinned up to brickwork or concrete over in cement mortar. Cement screeds, pavings, granolithic, etc. in openings are to be levelled and prepared for raising of brickwork. Plaster to reveals to openings are to have all external angles rounded and making good of finishes is to include for junction with existing finishes. Where openings are described as having new brick lintols they are to be with minimum 220mm end bearings and prices are to include for brick reinforcement to suit the width of the wall. Lintols are to be three courses high up to span of 1000mm and four courses high up to span of 1000mm and four courses high when exceeding that span and brickwork is to be built in 1:3 cement mortar. Where openings are described as having precast prestressed concrete lintols they are to be with minimum 220mm end bearings of 30 MPa concrete. One prestressed lintol for each half brick thickness is required and is to be reinforced with and including all necessary high tensile wire.</p> <p>Making good, etc.</p> <p>Prices are to include for making good in all trades to existing work, where damaged or disturbed through alterations, with all necessary new materials to match existing and leave complete and perfect in every respect.</p> <p>REMOVAL OF EXISTING WORK</p> <p>BILL NO. 1</p> <p>ALTERATIONS</p> <p>DEMOLITIONS ETC</p> <p>REMOVAL OF EXISTING WORK</p> <p>Breaking down and removing brickwork etc</p> <p>One brick wall on beam filling</p> <p>Taking out doors, windows, etc including thresholds, sills, etc and handing to employer (building up openings elsewhere)</p> <p>Timber single door and frame size 813 x 2032mm high</p> <p>Carefully take out and remove from site the following including making good all works disturbed</p> <p>Existing Lockable toilet roll holder plugged</p>				
	m2	3		R -
	No	3		R -
	No	2		R -

Hacking up/off and removing granolithic, screeds, plaster, etc from concrete or brickwork and preparing surfaces for new screeds, plaster, etc					
30mm Granolithic from floors	m ²	20	R	-	
Hacking up/off and removing ceramic tile floor and wall finishes including removing mortar bed or backing and preparing concrete or brick surfaces for new screed, plaster or tile finishes					
Tiles to walls	m ²	23	R	-	
Taking out and removing piping, sanitary fittings, etc including disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)					
Wash hand basin	No	1	R	-	
WC pan with cistern	No	2	R	-	
wall mounted steel urinal	No	1	R	-	
Taking out and removing glass and mirrors					
Carefully remove cracked or broken glazing in panes exceeding 0,5m ² and not exceeding 2m ² in existing metal windows and doors including removal of steel beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	m ²	2	R	-	
Taking down and removing roofs, etc					
Carefully take out and remove damaged existing corrugated / concrete tiles / IBR roofing sheet	m ²	20	R	-	
Carefully take out and remove damaged existing timber roof trusses and make good brickwork to receive new roof trusses (New roof trusses elsewhere measured)	m ²	20	R	-	
Carefully cut and remove broken or damaged fibre fascia/bargeboards not exceeding 300mm wide and make good works disturbed (replacement elsewhere measured)	m	13	R	-	
Carefully take out and remove existing corrugated cover flashing	m	7	R	-	
Servicing existing windows					
Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Principal Agent, overall size of window 600 x 500mm high	No	5	R	-	
CUTTING THROUGH FLOORS AND CEILINGS					
50 x 50mm chase formed for plumbing pipework	m	6	R	-	
BUILDING UP OPENINGS					
Brickwork in NFP bricks in class II mortar in building up openings					
One brick walls (Beam Filling)	m ²	3	R	-	
Brickwork reinforcement					
150mm Wide reinforcement built in horizontally	m	20	R	-	
Sundries					
Cutting toothings and bonding new brickwork to existing	m ²	2	R	-	
220mm face bricks pointed with flush horizontal and vertical joints					
Extra over brickwork for face brickwork in beamfilling	m ²	3	R	-	
PREPARATORY WORK TO EXISTING SURFACES					
Scabbie existing surface of fair faced wall and prepare surface to receive new plaster (new plaster elsewhere measured)					
On walls	m ²	80	R	-	
SCREEDS					
Make good cracks not more than 5mm wide with cement grout (1:3) on steel or wood floated screed, flush and match existing floor texture	m	3	R	-	
INTERNAL PLASTER					
Fill cracks not more than 5mm wide with poly-filer and touch-up paint to match existing colour	m	3	R	-	
BILL NO.2					
WATERPROOFING					
SUPPLEMENTARY PREAMBLES					
Waterproofing					
Waterproofing of roofs, basements, etc shall be laid under a ten year guarantee. Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn-ups and turn-downs					
JOINT SEALANTS ETC TO ROLLER SHUTTER DOORS					
Jin and Bao universal garage door threshold seal strip, bottom weather striping replacement rubber water-proof 20 FT	m	60	R	-	
BILL NO.3					
ROOF COVERINGS ETC					
PROFILED METAL SHEETING AND ACCESSORIES					
0,6mm "Zincalume" or similar to match existing Z275 spelter galvanised ribbed sheet steel in similar lengths fixed to timber/steel purlins or rails.					
Roof covering with pitches not exceeding 25 degrees inclusive of ISO board insulation					

0,6mm IBR Galvanised sheeting fixed to timber purlins	m ²	20	R	-
Head wall flashing 450mm girth	m	7	R	-
ROOF AND WALL INSULATION				
"Sisalation 410" housing grade glass fibre reinforced aluminium foil bonded insulation				
Insulation laid taut over purlins (at approximately 1 100mm centres) and fixed concurrent with roof covering including galvanised steel straining wires	m ²	20	R	-
BILL NO. 4				
CARPENTRY AND JOINERY				
EAVES, VERGES, ETC				
Everite pressed nutec-cement				
12 x 225mm Fascias and barge boards including galvanised steel H-profile jointing strips	m	13	R	-
DOORS ETC				
Wrought hardwood flushback doors with sapele veneer hung to steel frames				
Meranti framed batten external single door (PC R2200,00/No)	No	1	R	-
Approved solid core flush single door (PC R2650,00/No)	No	2	R	-
ROOFS ETC				
Plate nailed timber roof truss construction				
Truss construction to double pitched roof with hipped or gable ends and 2100mm high extreme including wall plates, trusses, jack rafters, permanent bracing including 38 x 52mm purlins/battens at not exceeding 1500mm centres for IBR roofing sheets	m ²	20	R	-
Sawn softwood				
50 x 76m Purlins	m	26	R	-
38 x 114mm Wall plates	m	12	R	-
Take delivery, temporary store, hoist in position and erect plate nailed timber roof trusses, purlins, gangboarding, temporary and permanent bracing, etc (measured on slope of roof)	m ²	20	R	-
Engineering Designs				
Allow for the engineering design and certificate under the control of a registered structural Engineer in accordance with SABS 0160 and 0163	Item	1,00	R	-
BILL NO. 5				
CEILINGS, PARTITIONS AND ACCESS FLOORING				
CEILINGS ETC				
NAILED UP CEILINGS				
6,4mm "Rhino" gypsum plasterboard with H-type pressed steel jointing strips				
Ceilings including 38 x 38mm sawn softwood brandering at 400mm centres	m ²	20	R	-
Extra over ceiling for 650 x 650mm trap door of 38 x 50mm wrought softwood rebated framing with one 38 x 50mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	1	R	-
Rhino gypsum plasterboard cornices				
75mm Coved cornices	m	35,2	R	-
BILL NO. 6				
IRONMONGERY				
NOTE : Unless otherwise stated herein, all items in this bill shall be deemed to fall into Work Group No. 132 for CPAP formula purposes				
SUPPLEMENTARY PREAMBLES				
Finishes to ironmongery				
Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD SandedNP Nickel plated				
LOCKS				
New Ironmongery fittings, supply and install to be similar and or approved				
Bathroom lockset	No	2	R	-
Three lever rebated deadlock	No	1	R	-
HANDLES				
New Ironmongery fittings, supply and install to be similar and or approved				
Set of two door pull handles fixed back to back	No	1	R	-
PUSH PLATES AND KICKING PLATES				
Aluminium plates exceeding 0,3m ² but not exceeding 0,5m ²	No	1	R	-
LETTERS, NAMEPLATES, ETC				
Aluminium plate with engraved or painted letters/numerals/symbols not exceeding 0,1m ²	No	1	R	-

BATHROOM FITTINGS					
<u>New ironmongery fittings, supply and install to be similar and or approved</u>					
Chromium plated curtain or hanging rail not exceeding 1,0m long	No	3		R	-
Chromium plated towel rail not exceeding 1,0m long	No	1		R	-
Lockable toilet roll holder	No	2		R	-
Soap holder	No	1		R	-
Bathroom cabinet	No	2		R	-
Soap dispenser	No	1		R	-
Electric hand-drier	No	1		R	-
Kwikol DSG-100-5 Sperline Dual Geyser	No	1		R	-
SUNDRIES					
<u>New ironmongery fittings, supply and install to be similar and or approved</u>					
Rubber door stop	No	1		R	-
BILL NO. 7					
METALWORK					
NOTE: Tenderers are advised to study the Model reambles for Trades before pricing this Bill. Where reference is made to trade names in these Bills of Quantities, it shall be taken to read "or other equal approved".					
WELDED SCREENS, GATES, ETC					
<u>Steel gates and frames</u>					
Single gate and frame 965 x 2 067mm high overall, the outer frame of 45 x 45 x 3mm hollow section bolted to wall with and including eight 70mm M80 expansion bolts and the gate 813 x 2 032mm high of 40 x 60 x 2mm hollow section frame with two 40 x 6mm flat section horizontal rails filled in with 20mm diameter vertical rails at 110mm centres fitted with one and a half pairs of suitable pin hinges welded to hollow section steel frame, complete with and including 150mm barrelbolt and padlock	No	1		R	-
PRESSED STEEL DOOR FRAMES					
<u>1,2mm Double rebated frames suitable for one brick walls</u>					
Frame for door 813 x 2 032mm high	No	3		R	-
BILL NO. 8					
PLASTERING					
SCREEDS					
<u>Cement plaster screeds wood floated on concrete</u>					
50mm Thick Average on floors and landings	m ²	20		R	-
BILL NO 9					
TILING					
SUPPLEMENTARY PREAMBLES					
<u>Descriptions</u>					
Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding					
WALL TILING					
<u>Tiles supplied by Tile Africa or similar approved</u>					
<u>Ceramic tile (PC Amount R150.00/m²)</u>					
On walls	m ²	23		R	-
On narrow widths (Provisional)	m ²	4		R	-
FLOOR TILING					
<u>Tiles supplied by Tile Africa or similar approved</u>					
<u>Porcelain tile (PC Amount R150.00/m²)</u>					
On floors and landings	m ²	20		R	-
Tile skirting 100mm high	m	35		R	-
BILL NO. 10					
PLUMBING AND DRAINAGE					
(CPAP FORMULA WORK GROUP 148)					
SANITARY FITTINGS (to be similar or approved)					
<u>New sanitary fittings, to be similar or approved, etc including connecting pipes to fittings and making good floor and wall finishes</u>					
Wash hand basin	No	1		R	-
WC pan with cistern	No	2		R	-
WC pan connector	No	2		R	-

Wall hung urinal with flush valve	No	1	R	-
WASTE UNIONS ETC				
32mm Basin waste	No	2	R	-
TRAPS ETC				
Marley or Similar approved				
32mm Reseal "P" or "S" trap	No	2	R	-
Brass				
Fullway gate valve	No	2	R	-
"Cobra Watertech" or Similar approved				
Chrome Plated single tephole basin mixer	No	1	R	-
Chrome Plated bath mixer with hand shower	No	3	R	-
Chrome Plated shower rose	No	3	R	-
Chrome Plated overhead shower arm	No	3	R	-
"Flushmaster Junior" toilet flush valve	No	2	R	-
"Flushmaster Junior" urinal flush valve	No	1	R	-
SANITARY PLUMBING				
uPVC Pipes				
50mm Pipes	m	6	R	-
110mm Pipes	m	12	R	-
Extra over uPVC pipes for fittings:				
50mm Bend	No	3	R	-
110mm Bend	No	2	R	-
50mm Junction	No	5	R	-
110mm Junction	No	2	R	-
50mm Inspection junction	No	5	R	-
110mm Inspection junction	No	2	R	-
50mm Reducing junction	No	5	R	-

110mm Reducing junction	No	2	R	-
110mm pan connector	No	2	R	-
110mm "GI Two way" vent valve	No	1	R	-
50mm "GI Two way" vent valve	No	1	R	-
HOT AND COLD WATER SERVICES				
<u>Class 1 copper (hard drawn) pipes</u>				
15mm Pipes	m	12	R	-
15mm Pipes chased into brick walls	m	6	R	-
22mm Pipes	m	18	R	-
22mm Pipes chased into brick walls	m	12	R	-
<u>Extra over class 1 copper (hard drawn) pipes for capillary fittings</u>				
15mm Fittings	No	15	R	-
22mm Fittings	No	10	R	-
TESTING				
Testing water pipe system	Item	1	R	-
Testing sewer/waste pipe system	Item	1	R	-
FIRE APPLIANCES ETC				
9kg Dry chemical fire extinguisher	No	1	R	-
BILL NO.11				
GLAZING				
<u>GLAZING TO METAL / WOOD WITH PUTTY OR BEADS</u>				
<u>4mm Patterned glass</u>				
Panels exceeding 0,5m ² and not exceeding 2m ²	m ²	2	R	-
MIRRORS, ETC				
<u>6mm Silvered float glass copper backed mirrors with 10 mm bevelled and polished edges held for and fixed with chromium plated dome called mirror screws with rubber buffers to fix in brickwork or concrete</u>				
Mirror 450 x 600mm high	No	2	R	-
BILL NO.12				
PAINTWORK				
PREPARATORY WORK TO EXISTING WORK				
PAINTWORK ETC TO PREVIOUSLY PAINTED WORK				
Note: All paintwork to be "Dulux" or similar approved product				
<u>On Floated Plaster</u>				
<u>Apply two coats of Acrylic PVA emulsion paint on work previously painted</u>				
On internal walls	m ²	80	R	-
On Window Cills	m ²	2	R	-
ON PLASTERBOARD				
<u>One coat primer and two coats interior quality PVA emulsion paint</u>				
On ceilings and cornices	m ²	20	R	-
ON FIBRE-CEMENT				
<u>One coat primer and two coats exterior quality PVA emulsion paint</u>				
On fascias and barge boards not exceeding 300 mm girth	m	13	R	-
On Metal				
<u>Prepare and apply one undercoat and two finishing coats of glass paint on metalworks</u>				
On door frames	m ²	4	R	-
On windows with burglar bars	m ²	2	R	-
ON WOOD				
<u>Prepare and apply one coat wood primer, one undercoat and one finishing coat alkylid enamel paint in colours which have a value of 7 or less on the Munsell system in accordance with SABS 1091</u>				
On doors	m ²	12	R	-
PROTECTIVE ROOFING PAINT				
<u>Two coats "Silvokote" bituminous aluminium paint</u>				
On waterproofing to roofs	m ²	20	R	-
SECTION 2: TOTAL RENOVATION OF THE WATERBORNE TOILETS			R	-

SECTION NO. 3				
EXTERNAL WORKS				
BILL NO. 1				
WATER STORAGE AND SUPPLY TO INDUSTRIAL TOILETS AND FACTORY				
WATER SUPPLY				
SITE CLEARANCE				
Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m2	100	R	-
Stripping average 150mm thick layer of top soil and stockpiling on site	m2	100	R	-
Class 10 type 4 HDPE pressure pipes				
20mm Pipes laid in trenches including trenches not exceeding 1m deep, backfilling and compact	m	100	R	-
25mm Pipes laid in trenches including trenches not exceeding 1m deep, backfilling and compact	m	50	R	-
32mm Pipes laid in trenches including trenches not exceeding 1m deep, backfilling and compact	m	25	R	-
Extra over HDPE pressure pipes for fittings				
25mm Bend	No	6	R	-
32mm Bend	No	6	R	-
20mm Tee	No	8	R	-
32mm Tee	No	8	R	-
32 x 25mm Reducing tee	No	4	R	-
25mm Adaptor coupling	No	8	R	-
32mm Adaptor coupling	No	8	R	-
	H2			
Sundries				
uPVC valve box for valves to pipes not exceeding 63mm diameter	No	1	R	-
22mm PVC gate valve	No	4	R	-
32mm PVC gate valve	No	2	R	-
22mm Brass non-return valve	No	4	R	-
32mm Brass non-return valve	No	4	R	-
WATER STORAGE				
BILL NO. 2				
Polyethylene water tank				
Water storage tank, stand and accessories manufactured from hotdip galvanised pressed steel panels, section, etc assembled in position on site				
Tank to be complete including roof plate covering, manhole and ventilator, internal and caged external (1,5m above ground level) access ladders, walkways, railings, water level indicator and 32mm inlet, outlet and overflow connections				
Stand to be complete with platform 6m above finished ground level, including concrete footings, holding down bolts, etc				
The whole assembly to comply with SABS Specification CKS 114				
Supply, transport and offload on site, hoist to 6m high 5000 litre Polyethylene water tank on steel tank stand (steel tank stand elsewhere measured) tied down with chain or galvanised wire in hose-pipe fixed to hook	No	2	R	-
Supply, transport and offload on site, assemble and install 4,5m - 6m high fully steel tank stand complete with and caged external (1,5m above ground level) access ladders, galvanised steel walkways with hand railings on sides, 32mm inlet, 32mm outlet and overflow connections, fixed on concrete footings (footings elsewhere measured) complete	No	2	R	-
Outlet/inlet union for 32mm galvanised mildsteel pipe including hole through tank	No	4	R	-
4-Set holding down bolts, welded together, as approved by tank manufacturer cast into concrete slab columns	No	8	R	-
Hole fibreglass tank for rectangular type down pipe	No	4	R	-
SECTION 3: TOTAL EXTERNAL WORKS-WATER STORAGE AND SUPPLY TO INDUSTRIAL TOILETS AND FACTORY			R	-

SECTION NO. 5				
BILL NO. 1				
PROVISIONAL SUMS				
NOTES:				
1.The Contractor's attention is drawn specifically to the Principal Building Agreement Clause 20.0 (Nominated Sub-Contractors), Clause 21.0 (Selected Sub-Contractors) and Clause 22 (Work by Others) and to the related Clauses in Section 1, Bill No. 1 - Preliminaries				
2.The Contractor's attention is drawn also to the definition of attendance on Nominated or Selected Sub-Contractors and of fuel, power and water for commissioning of mechanical and other specialised installators given in the JBCC Preliminaries				
3.Where special attendance includes the provision of hoisting facilities for a Sub-Contractor then the Contractor shall:-				
*Ensure that the capacities of his hoisting equipment are sufficient to deal with the masses and the quantities of the items to be hoisted,				
*Schedule the times of availability of the hoisting equipment for each Sub-Contractor,				
*Provide all necessary personnel to operate the hoisting equipment,				
all to enable the Sub-Contractor to execute the hoisting or lowering of his material, etc. using the facilities provided by the Contractor				
4.Under no circumstances may any Provisional Amount, etc. be extended at an amount lower than the amount given in this Bill				
Provisional sums will only be used with the prior approval of the Mpumalanga Department of Public Works, Roads and Transport				
<u>Provisional sums will only be used with the prior approval of the Mpumalanga Department of Public Works, Roads and Transport</u>				
DRILLING AND EQUIPPING OF BOREHOLE INCLUDING CAGING AND GEO-HYDRO INVESTIGATIONS				
Allow a provisional sum of R 130 000.00 (One Hundred and Thirty Thousand for the drilling and equipping of a borehole complete including caging and GeoHydro investigations	Item	1	R	-
Profit	Item	10.0%	R	-
Allow for general attendance	Item	5.0%	R	-
SEWER RETICULATION AND UNBLOCKING OF SEWER DRAINS TO ABLUTIONS				
Provide the amount of R 20 000.00 (Twenty Thousand Rands) for Sewer reticulation, municipal connection etc	Item	1	R	-
Profit:	Item	10%	R	-
Allow for general attendance	Item	5%	R	-
ELECTRICAL INSTALLATIONS TO ABLUTIONS				
provisional the amount of R 15 000.00 (Fifteen Thousand Rands) for electrical works and all accessories including stripping off the existing damaged wiring	Item	1	R	-
Profit:	Item	10%	R	-
Attendance to the contractor	Item	5%	R	-
SECTION 5: TOTAL PROVISIONAL SUM			R	-

F

SECTION 1: TOTAL PRELIMINARIES	Sum	1		R	-
SECTION 2: TOTAL RENOVATION OF THE WATERBORNE TOILETS	Sum	1		R	-
SECTION 3: TOTAL EXTERNAL WORKS-WATER STORAGE AND SUPPLY TO INDUSTRIAL TOILETS AND FACTORY	Sum	1		R	-
SECTION 5: TOTAL PROVISIONAL SUM	Sum	1		R	-
SUB TOTAL (A)	ST	0		R	-
COMMUNITY LIASON OFFICER					
Provide the amount for the appointment of community liason officer (R7 500.00 x 2 Months)	Item	1		R	-
SUB TOTAL (B)	ST	0		R	-
CONTINGENCY					
Allow 2.5% Contingencies	Item	1		R	-
SUB TOTAL (C)	ST	0		R	-
Add: Value Added Tax @ 15.0%	TAX	15%		R	-
TOTAL				R	-

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

SBD4

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:
.....
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:
.....
.....

3 DECLARATION

I, the undersigned, (Name).....
 in submitting the accompanying bid, do hereby make the following
 statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

SBD4

1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature Date

.....
Position Name of bidder

**PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL
PROCUREMENT REGULATIONS 2022**

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

a) The applicable preference point system for this tender is the 80/20 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	
Enterprise owned by Black people	4
Enterprise owned by Women	4
Enterprise owned by Youth	4
Enterprise owned by Disabled	4
Enterprise owned by SMME's-QSE and EME	4
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc}
 \mathbf{80/20} & \mathbf{or} & \mathbf{90/10} \\
 \\
 \mathbf{P_s = 80 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right)} & \mathbf{or} & \mathbf{P_s = 90 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right)}
 \end{array}$$

Where

- P_s = Points scored for price of tender under consideration
 P_t = Price of tender under consideration
 P_{min} = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80 \left(1 + \frac{Pt - Pmax}{Pmax} \right) \text{ or } Ps = 90 \left(1 + \frac{Pt - Pmax}{Pmax} \right)$$

Where

- Ps = Points scored for price of tender under consideration
Pt = Price of tender under consideration
Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprise owned by Black people	N/A	4	N/A	
Enterprise owned by Women	N/A	4	N/A	
Enterprise owned by Youth	N/A	4	N/A	
Enterprise owned by Disabled	N/A	4	N/A	
Enterprise owned by SMME's-QSE and EME	N/A	4	N/A	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

.....	
SIGNATURE(S) OF TENDERER(S)	
SURNAME AND NAME:
DATE:
ADDRESS:

Tender Notice and Invitation to Tender

Procurement of service provider for drilling and equipping of borehole including geo-hydro investigations, renovations of water borne toilets and other related services

Employer Tender Number: RFQ00792-25/26

cidb Reference Number: 100114535

MPUMALANGA ECONOMIC GROWTH AGENCY INVITES TENDERS FOR DRILLING AND EQUIPPING OF BOREHOLE INCLUDING GEO-HYDRO INVESTIGATION

It is estimated that tenderers should have a cidb contractor grading of 2GB or higher. 1GB Potentially Emerging Enterprises who satisfy criteria stated in the Tender Data may submit Tender offers.

Preferences are offered to tenderers who CIDB Grading of 2GB or Higher

The tender document can be downloaded at the MEGAs Website.
www.mega.gov.za

Queries relating to the issues of these documents may be addressed to:

Bongani Ngcane

Tel No. 0134925818

E-mail. bongani.ngacane@mega.gov.za

The closing time for receipt of Tenders is 09h00 on Monday, March 16, 2026.

Late Tenders will not be accepted.

Tenders may only be submitted on the tender documentation that is issued.

Requirements for sealing, addressing, delivering, opening and assessment of Tenders are stated in the Tender Data.